


Model description


37



Technical data

Type	Rated voltage ratio (V)	Rated secondary output (VA)						Max. output (VA)	Rated insulation level (kV)	
		0.2	0.5	1	3	0.2/0.2 0.2/0.5	0.5/0.5			6P
JDZ-3Q	3000/100	20	20	50	80	15/15	30/30	/	200	3.6/25/40
JDZ-6Q	6000/100	30	50	80	200	15/15	30/30		400	7.2/32/60
JDZ-10Q	10000/100	30	80	150	300	15/20	50/50	50	500	12/45/75
JDZJ-3Q	$\frac{3000}{\sqrt{3}} / \frac{100}{\sqrt{3}} / \frac{100}{\sqrt{3}}$	20	30	50	80	/	/		500	3.6/25/40
JDZJ-6Q	$\frac{6000}{\sqrt{3}} / \frac{100}{\sqrt{3}} / \frac{100}{\sqrt{3}}$		50	80	200			400	7.2/32/60	
JDZJ-10Q	$\frac{10000}{\sqrt{3}} / \frac{100}{\sqrt{3}} / \frac{100}{\sqrt{3}}$	/	/	/	/	15/15	25/25	100	200/200	12/42/75
	$\frac{10000}{\sqrt{3}} / \frac{100}{\sqrt{3}} / \frac{100}{\sqrt{3}}$									

Overall dimension drawing



Wiring diagram

